Inventors: Kiyoyuki SAKON, et al. GLUTATHIONE DERIVATIVES AND DOSAGE FORMS


Filed: July 21,2003

SM, PLLC Ref. No.: Q75806 SM, PLLC Phone No.: 202-293-7060


Fig.1

dioxane


Sheet 2 of 14




Sheet 3 of 14




Sheet 4 of 14







PLASMA CONCENTRATION (µg/mL)

Sheet 6 of 14






Sheet 8 of 14




RATIO OF SEGMENTED NEUTROPHIL (%)



Inventors: Kiyoyuki SAKON, et al.
GLUTATHIONE DERIVATIVES AND DOSAGE FORMS

Filed: July 21, 2003 SM, PLLC Ref. No.: Q75806 SM, PLLC Phone No.: 202-293-7060 Sheet 10 of 14




RATIO OF NEUTROPHILIC MYELOCYTES HAVING A DIVIDING ABILITY (MYELOBLASTS+PROMYELOCYTES+NEUTROPHILIC MYELOCYTES +MYELOCYTIC DIVIDING CELLS)

Inventors: Kiyoyuki SAKON, et al. GLUTATHIONE DERIVATIVES AND DOSAGE FORMS

Filed: July 21, 2003

SM, PLLC Ref. No.: Q75806 SM, PLLC Phone No.: 202-293-7060

Sheet 11 of 14



Sheet 12 of 14

